

**OBJECTIONABLE MATERIAL EFFLUENT LIMITS**

<b><u>Waste or Chemical</u></b>	<b><u>Concentration mg/l</u></b>
Boron	1.0
Chromium (Hexavalent)	5.0
Chromium (Trivalent)	10.0
Copper	3.0
Cyanide	0.005
Iron	15.0
Lead	0.1
Mercury or its compounds	0.005
Nickel	3.0
Oil & Grease, etc. (carbon tetrachloride extraction)	100.0
Temperature not over 150° F. (65° C.)	
Acid iron pickling waste or concentraed plating waste	Zero
Free acids and alkalis pH	Between 5.5 and 9.5
Zinc	2.0
Cadmium	2.0
Chlorine Demand	30.0
Phenols	0.5