PWSID# (0412001)

Annual Drinking Water Quality Report Borough of Collingswood Water Department For the Year 2023- Results from the Years 2020, 2021 & 2022

We are pleased to present to you this year's Annual Drinking Water Quality Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the treatment processes and protect our existing water resources.

Our water is safe to drink and meets all water quality standards set by the State and Federal agencies. For more information or questions, please call the Borough of Collingswood Water Department Superintendent at 856-854-2332. The Borough of Collingswood Commission meetings are held on the first Monday of each month starting at 7pm. We encourage public participation in decisions that affect our drinking water quality.

New Treatment Process:

A granular activated carbon (GAC) filter was added to the Comly Ave treatment plant. GAC filters are used to enhance treatment by removing volatile organic compounds (VOCs) and perflourocarbons (PFCs) from water.

History:

The Borough of Collingswood supplies drinking water to all of Collingswood, Woodlynne and a portion of Haddon Township. Our water system service area covers approximately 50 linear miles of water mains ranging from 4" to 16" with over 6,000 active service connections serving approximately 24,000 people. All service connections for businesses and residents are metered.

Water Source:

The Borough of Collingswood currently obtains its entire water supply from five (5) underground confined wells located in the Potomac Raritan Magothy Aquifer geological formation. The wells range from 250 to 320 feet deep. All of our potable well sources are located throughout the Borough of Collingswood. Four (4) of our wells are currently located in the vicinity of the Highland & Hillcrest Ave Water Treatment Plant which is located at 215 Hillcrest Ave. The remaining well is located at the Comly & Cattell Avenue Water Treatment Plant.

The ground water wells pump untreated water to our primary treatment plant through a network of underground pipes. The water is processed and purified before being pumped to our customers.

Our Treatment Facilities Consist of:

Aeration: The process of bringing water and air into contact in order to remove dissolved gases which may be corrosive to our water supply.

Sedimentation: The process of removing suspended matter such as iron and manganese by gravity settling.

Filtration: Removing almost all suspended matter that remains by passing the water through a sand medium.

Corrosion Control: The addition of a zinc phosphate to control scaling and deposits formation on water lines throughout the water system.

Air Stripping: A tower aerator consisting of a cylindrical tank filled with a packing material. Water is distributed over the material at the top of the tank while air is forced through the bottom using a blower. The primary purpose of air stripping is to remove all traces of Volatile Organic Compounds (VOCs).

Disinfection: Chlorine is added as the final treatment before entering the water system for disinfection, which is required under state and federal regulations.

GAC: Water is filtered through the GAC filter to remove VOCs and **perflourocarbons** (PFCs).

The following information is required by the United States Environmental Protection Agency (USEPA) to be placed in all **Consumer Confidence Reports:**

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs and wells. As water travels over the surface of land or through the ground, it dissolves naturally occurring minerals and in some cases radioactive material and can pick up substances resulting from animal or human activity.

Contaminants that may be present in source water include:

- * Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife.
- * Inorganic Contaminants such as salts and metals which can be naturally occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming.
- * Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff and residential use.
- * Organic chemical contaminants, including synthetic and volatile organic chemicals, which are byproducts of industrial processes and petroleum production and can also come from gas stations, urban stormwater runoff and septic systems.
- * Radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.

In order to ensure tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration regulations establish limits for contaminants in bottled water which must provide the same` protection for public health.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline (800-426-4791)

Water Quality Data Table Explanation:

This portion of the report is based upon testing conducted in the years 2020, 2021 and 2022, by the Borough of Collingswood. In the table that follows, you will find many terms and abbreviations with which you may not be familiar. To help you better understand these terms, we've provided the following definitions:

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contamination.

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Picocuries Per Liter or pCi/L: A measure of radioactivity

Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.

Parts Per Million/ Parts Per Billion: For example, one part per million is the equivalent of 1/2 of a dissolved aspirin tablet in a full bathtub of water (approximately 50 gallons). One part per billion is equivalent to 1/2 of a dissolved aspirin tablet in 1,000 bathtubs of water (approximately 50,000 gallons).

Non-Detects (ND): Laboratory analysis indicates that contamination is not present.

Inorganic Compounds: The mineral-type compounds, such as metals and salts found in drinking water.

Secondary Compounds: compounds, which effect drinking water aesthetics such as taste, odor and color.

Source: The major origin of the compounds detected in water.

90th percentile: 90% of samples are equal to or less than the number in the chart.

Water Footnotes:

- 1. The Borough of Collingswood tested over 300 microbiological analyses in the distribution system in 2022 and no presence of coliform bacteria was detected in any of the sample analyses.
- 2. Nitrate and Nitrite samples were collected from both water plants in 2022. Nitrate was detected between 0.161 PPM and 0.398 PPM entering the water system. The test results for Nitrate were well below the maximum level of 10 PPM.

- 3. A set of samples for Asbestos was taken in the water distribution system in 2021 as part of the Asbestos waiver program. No concentration of Asbestos was detected in any of the samples.
- 4. The Borough of Collingswood completed two rounds of sampling for Unregulated Contaminates in 2020.
- The Borough of Collingswood tested for radionuclides in 2020 at our Plants. All test results were well within the EPA and NJDEP guidelines for radionuclides.
- The Borough of Collingswood tested for lead and copper in 2022 at thirty (30) selected and NJDEP approved locations in our water system. All test results were in compliance at the 90th percentile. Our next round of sampling will be in the summer of 2025.
- 7. Secondary and Inorganic compounds were tested at each point of entry in 2021. These set of samples represent water from each treatment plant prior to entering the water distribution system.
- 8. A synthetic organic compound (SOC) waiver for the compliance period 2020-2022 was received from the NJDEP. Waivers are typically given when the compounds are not identified in the area of the water system.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infection. These people should seek advice about drinking water from their health care providers.

EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791)

The Borough of Collingswood Water Department routinely monitors for contaminants in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of years 2020, 2021 & 2022.

Table of Detected Contaminants

| Inorganic Con | npounds | | | | | |
|----------------------|---------|-----|------|-----------------|--------------------|-----------|
| Substances. | Units | MCL | MCLG | Range | Source | Violation |
| Sulfate | ppm | 250 | * | 65.2 to 65.8 | Erosion of Natural | No |
| | | | | | Deposits | |
| Nitrate | ppm | 10 | 10.0 | .161 to | Erosion | No |
| | | | | 0.398 | of Natural | |
| | | | | | Deposits | |
| Fluoride | ppm | 4.0 | 4.0 | <.05 to | Erosion | No |
| | | | | .05 | of natural | |
| | | | | | Deposits | |

| Sodium | ppm | 50 | 50 | 19.5 to 20.0 | Erosion No of natural Deposits |) |
|--------------------------|------------|-------|-----|-----------------|--------------------------------------|----|
| Secondary Che | mical Comp | ounds | | | | |
| Chloride | ppm | 250 | 50 | 48 to 55 | Erosion of natural Deposits | No |
| Zinc | ppm | 5 | * | .12 to .121 | Erosion of Natural Deposits | No |
| Total Dissolve Solids | d ppm | 500 | 500 | 242 to 254 | Erosion of Natural Deposits | No |

| Lead | Copper ppb | 15 | 0 < | <1.0 to .0 | 00456 | orrosion of Househ | old plumbin | a No |
|----------------------------------|------------------------------|--|--------------------------------|-------------------|---------------------|--|---------------|----------|
| Leau | рро | 13 | 0 < | .1.0 10 .1 | 00430 C | orrosion or Housen | ola piulibili | g No |
| Copper | ppm | 1.3 | 0 < | <0.01 to | 0.148 Cor | rosion of Househo | ld plumbing | No |
| (Locati (Total HAA5 Highes | ional rui Trihaloi ppb | A site was (nning annumethanes) 40 m A site was (| Q-1 at 1 al avera /a 1.0 | age) 3 to 15 j | | y-Product of Chlori oduct of Chlorination | | No No |
| D 11 | | | | | | | | |
| Kadioa | active C | Compound | S | | | | | |
| Total A | | Compound pCi/l | <u>s</u> 15 | 0 | 3.1 to 6.8 | Erosion of Natural Deposits | No | |
| | Alpha | | | 0 | 3.1 to 6.8 <1 to <1 | | No No | |
| Total A | Alpha n-226 | pCi/l | 15 | | | Natural Deposits Erosion of Natural | | |

Volatile Organics

| Substance | Units | MCL N | 1CLG | Range | Source Vi | olation |
|--------------------------|-------|-------|------|-------------|------------|---------|
| cis-1,2 Dichloroethylene | ppb | 70 | 70 | <.5 to 2.67 | Discharge | No |
| - | | | | | from in | |
| | | | | | Industrial | |
| | | | | | chemical | |
| | | | | | factories | |
| 1,2-Dichloroethane | ppb | 2 | 2 | <.1 to .58 | Discharge | No |
| | | | | | from | |

| MTBE | ppb | 70 | 70 | <.5 to 1.15 | industrial chemical factories Gasoline additive | No |
|------|-----|----|----|-------------|---|----|
| PFNA | ppt | 13 | 13 | <2 to <2 | Discharge | No |
| | | | | | from industrial chemical factories | |
| PFOS | ppt | 13 | 13 | <2 to <2 | Discharge from industrial chemical factories | No |
| PFOA | ppt | 14 | 14 | <2 to 9 | Discharge from industrial chemical factories | No |

NOTES:

We have learned through our mdssonitoring and testing that some contaminants have been detected. As you can see by the table, our system had no MCL violations however. We are proud that your drinking water meets or exceeds all Federal and State monitoring requirements.

Special Consideration Regarding Children, Pregnant Women, Nursing Mothers, and Others.

Children may receive a slightly higher amount of contaminant present in the water than do adults, on a body weight basis, because they may drink a greater amount of water per pound of body weight than adults. For this reason, reproductive or developmental effects occur at lower levels than other health effects of concern. If there is insufficient toxicity information for a chemical (for example, lack of data on reproductive or developmental effects), an extra uncertainty factor may be incorporated into the calculation of the drinking water standard, thus making the standard more stringent, to account for additional uncertainties regarding these effects. In the case of lead and nitrate, effects on infants and children are the health endpoints upon which the standards are based.

Nitrate: Nitrate in drinking water at levels above 10 ppm is a health risk for infants of less than six month of age. High nitrate levels in drinking water can cause blue baby syndrome. Nitrate levels may rise quickly for short periods of time because of rainfall or agricultural activity. If you are caring for an infant, you should ask for advice from your health care provider.

Lead: If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The Borough of Collingswood is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for serval hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

The following important simple steps can be taken to avoid possible exposure to lead and copper:

- 1. Allow the water to run until it is cold (about 30-60 seconds) if the water has been standing in the internal plumbing pipes for over six hours.
- 2. Use only cold water for cooking, drinking and making baby formula.
- 3. Use only lead-free solders when making plumbing repairs.
- 4. If you replace faucets, check the label for lead content or lead leaching potential.

Source Water Assessment:

The New Jersey Department of Environmental Protection has completed and issued the Source Water Assessment and Summary Report for the Borough of Collingswood. The Source Water Assessment was performed on all of our existing ground water source wells # 1 through 7. A susceptibility rating was used for each of the ground water sources that currently deliver water to our residents. These ratings range from low, medium or high for a particular category. For groundwater volatile organic compounds, inorganic compounds and radionuclides have a higher susceptibility than surface water. Pathogens and pesticides have a low susceptibility and nutrients and disinfection byproduct precursors have a medium susceptibility. The information on the Borough of Collingswood Source Water Protection Plan can be obtained by logging onto NJDEP Source Water Web Site www.state.njus/dep/swap/ or by contacting the NJDEP Bureau of Safe Drinking Water at 609-292-5550.

The portion of the study, which rated high, does not indicate that the customer is drinking contaminated water. The Borough of Collingswood is required to monitor for all of these regulated compounds. This assessment just identifies compounds that are likely to be in the area.

Unregulated Contaminants

The Borough of Collingswood participated in the 4th stage of the USEPA's Unregulated Contaminant Monitoring Rule (UCMR4) program by performing additional tests on our drinking water. UCMR4 sampling benefits the environment and public health by providing the USEPA with data on the occurrence of contaminants suspected to be in drinking water, in order to determine if USEPA needs to introduce new regulatory standards to improve drinking water quality. Unregulated contaminant monitoring data are available to the public so please feel free to contact us if you are interested in obtaining this information.

Additional Contaminants Monitored

The Borough of Collingswood tested for Asbestos in 2021 at selected sites and indicated Non Detect (ND) of Asbestos fibers in the drinking water.

The Borough of Collingswood does not add fluoride to the water. Parents of young children may want to consult with their dentist about their need for fluoride treatments.

Variances and Exemptions

The New Jersey Bureau of Safe Drinking Water issued the Borough of Collingswood a waiver for the sampling of synthetic organic compounds (SOCs) pesticides based on the vulnerability of the source water to possible contamination by these substances. Samples were collected and analyzed by NJDEP at our # 5 well, which did not indicate any SOCs exceeding their respective trigger values.

Green Day

The Borough of Collingswood, would like to invite you to celebrate spring and all things green at Collingswood's Green Day, located just off Haddon Avenue on Irvin Avenue near the PATCO High Speed Line. The event will be held on 30 April 2022 from 9a.m.-2p.m. At this event, we will have: paper shredding, electronic recycling drop-off, latex usable paint drop-off, trees and plants for sale, information on reducing storm water flooding and free bike tune ups.

The Camden County Hazardous Waste drop-off will be held on 23 April 2022. This event will not be held on the same day as Greenfest, as it has in prior years. Be sure to not bring hazardous waste to Greenfest.

Capital Improvements:

We have put together our capital plan in which we will outline priority infrastructure projects. Some of the projects will include continuing commitment to upgrade our existing treatment plants, replace undersized water mains and water service connections from the street to the curb.

In order to provide drinking water with the lowest possible contaminant levels, the NJDEP has enacted new regulations regarding Perfluorinated Compounds (PFC). To comply with the new regulations, we are upgrading our treatment processes to include a Granular Activated Carbon (GAC) filter at our Comly Avenue treatment plant. The GAC filtering process is designed to remove PFCs in drinking water.

The Water Department continues to upgrade our existing water meter system in order to improve meter reading efficiency as well as enhance service to our customers. We believe the primary benefit our customers will receive from the new meter reading system is the convenience of having the water meter read remotely, increasing the timeliness and accuracy of the billing process. There will no longer be a need to install remote boxes on the outside of your house or business. All new water meters will be read by radio read signals. If you would like to set up an appointment to replace your existing remote meter, please

contact us at 856-854-2332 or email us at publicworks@collingswood.com. There is no charge for the installation.

The Borough of Collingswood continues to replace water main as an individual basis as a requirement of the Water Quality Accountability Act.

The Borough of Collingswood has drilled a new well to meet current and future demands. The new well went online in the second quarter of 2020 and has helped to provide higher quality water ever since.

Operations and Security:

The events of September 11 and recent natural disasters have demonstrated the importance of water supply systems throughout the United States and the world. The Borough of Collingswood is making every effort to implement and develop plans to protect all aspects of our water supply infrastructure while working closely with regulatory and enforcement agencies. The Borough of Collingswood has developed and implemented a vulnerability assessment of our water system. This assessment was submitted to the US Environmental Protection Agency (EPA) and NJDEP Bureau of Safe Drinking Water in 2004 and is updated periodically.

The Borough of Collingswood followed up with an Emergency Response Plan that has been developed and submitted to all of the appropriate government agencies. All plans must be updated every (2) years with our existing operations and maintenance emergency manual.

The Borough of Collingswood is committed to providing our customers with the highest quality of water and service.

We believe in education and encourage employees to attend various classes and seminars on water treatment processes and distribution operations. All licensed water operations personnel are mandated to continue with post educational training.

Water Department Superintendent Richard Spafford prepared this report. Should you have any additional questions about our water supply or service, please feel free to call 856-854-2332.