



City of Leesburg
Building Division
204 N 5th Street
Leesburg, FL 34748
(352) 728-9735 Fax (352) 326-6617

PRIVATE SWIMMING POOL SAFETY REQUIREMENTS

Permit # _____

I, _____, hereby affirm that one of the following
(print contractor's name)
methods will be used to meet the requirements of Florida Statute, Chapter 515.

_____ The pool will be isolated from access to the home by an enclosure that meets the pool barrier requirements of Florida Statute 515.29 and the 2020 (7th Edition) Florida Residential Building Code R4501.17.

_____ The pool will be equipped with an approved safety pool cover that complies with ASTM F1346-91. (Standard Performance Specifications for Safety Covers for Swimming Pools Spas and Hot Tubs).

_____ All doors and windows providing direct access from the home to the pool shall be equipped with an exit alarm complying with UL2017, has a minimum sound pressure of 85 decibels at 10 feet and meet the requirements of Florida Residential Building Code R4501.17.1.9

_____ All doors/gates providing direct access from the home to the pool must be equipped with a self-closing, self-latching device with a release mechanism no lower than 54 inches above the floor or deck.

_____ A floating swimming pool alarm that sounds upon detection of an accidental or unauthorized entrance into the water, must meet and be independently certified to ASTM Standard F2208, titled "Standard Safety Specification for Residential Pool Alarms."

I understand that not having one of the above (or an approved alternate) installed will constitute a violation of Chapter 515 F.S. and will be considered as committing a misdemeanor of the second degree, punishable as provided in section 775.082 or section 775.083 F.S.

CONTRACTOR'S SIGNATURE DATE

OWNER'S SIGNATURE DATE

OWNER'S NAME (please print)