	50		-60
_	n	nı	V630
P	8.		700

CITY OF WYANDOTTE - Department of Engineering & Building

Application for Concrete Permit for Driveway, Curb Cut & Approach

ing	Permit #:	
Ře	ec'd By:	
Date	٠.	

			Date:		_
Location:_					
Applicant's Na Phone #:	ame:	Address:			
Owner's Nam Phone #:	e:	Address:			
Lot Size:	feet WIDE (x)	Interior Lot () Corner	Lot ()		
	STATE CLEARLY THE	E NATURE OF THE PROPOSED WOR	RK:		
		PLOT PLAN	·		
	Inside Lot Line ()	Side Street ()	Or Alley ()		
				Š	۷۵۱۱۵
ا چ				Rear Lot Line	. 000
Front Lot				Rear Lot Line	٠ ١
				Line	אביבע)
					7
L	Inside Lot Line ()	Side Street ()	Or Alley ()		
licensing requirem	state construction code act of 1972, 1972 ents of this state relating to persons who subjected to civil fines.	PA 230, MCL 125.1523A, prohibits a person fr are to perform work on a residential building	om conspiring to circu or a residential structu	mvent the ire. Violator	5
		X			
******	***********	Applicant's Signatur	e ********	*****	**
For Office Use O Comments:	nly: Approved By:	Date:			
					-
_					

h/concreteapp.doc



CITY OF WYANDOTTE, MICHIGAN

Department of Engineering & Building

Gregory J. Mayhew, P.E. City Engineer

Affidavit for Building, Sidewalk, Approaches, and Curb Cut Permits

LOCATION:	
work himself/herself in accordance with the provisions	g he/she applies for and secures a permit, pay the fee, does the s of the codes and rules of the City of Wyandotte, applies for he appropriate inspection authority. Failure to comply with these lation.
installation of the work mentioned in the permit. I furt	esponsibility of a licensed contractor for the construction and/or her agree that I shall neither hire any other person for the tract to any other person, firm, or corporation any portion of the bove premises.
I agree to request inspection as required by City Ordina construction and/or installation exposed until the Depa construction and/or installation as being in compliance	ance and Department Rules and to keep all parts of the artment of Engineering and Building has accepted the with the Code Requirements.
I certify that I will perform the work under the requirer	ments of the above rules governing homeowner's permits.
I further agree to correct all violations and will provide p.m., Monday through Friday for necessary inspections	access to the premises between the hours of 9:00 a.m. to 5:00 s.
Owner (Signature)	Present Address
Print Name	City, State, Zip Code
Phone No	Email Address:
Subscribed and sworn to me before this	
, day of,,	
Notary Public, State of Michigan, County of Wayne My Commission Expires: Acting in the County of	
If you have any questions regarding the work inlease of	consult the Inspector prior to beginning work

3200 Biddle Avenue, Suite 200, Wyandotte, Michigan 48192*734-324-4551 *Fax 734-556-3179 *email: engineering1@wyan.org

W:Owner's Affidavit.doc

If other problems arise, please contact the Engineering Office Supervisor at (734) 324-4551. .

Affidavit for Building, Sidewalk, Approaches, & Curb Cut Permits

Location:	Date:	
A bona fide owner may do his/her own work, p the fee, does the work himself/herself in according to the fee, does the work himself/herself in according to the first terms of the first	roviding, he/she applies for and secures a permit, pays dance with the provisions of the codes and rules of the receives approval of his/her work by the appropriate nese requirements will subject the owner's permit to	
construction and/or installation of the work mer hire any person for the purpose of constructi	ng the responsibility of a licensed contractor for the ationed in the permit. I further agree that I shall neither on and/or installing, nor sub-contracting to any other anstruction and/or installation of equipment at the above	
	Ordinance and Department Rules and keep all parts of ntil the Department of Engineering and Building has being in compliance with the Code Requirements.	
I certify that I will perform the work under the repermits.	quirements of the above rules governing homeowner's	
further agree to correct all violations and will 9:00 a.m. to 5:00 p.m., Monday through Friday fo	provide access to the premises between the hours of prince of the premises between the hours of the premises between the premises between the hours of the premises between the hours of the premises between the premises	
Subscribed and sworn to me before this	Printed Name:	
day of ; 20	Signature:	
	Address:	
Notary Public, Wayne County, Michigan	City: State: Zip:	
My Commission Expires:		
	Phone:	
f you have any questions regarding the work, please consult the inspector prior to beginning work.		
f other problems arise, please contact the Engineering Office Supervisor at (734) 324-4551.		

City of Wyandotte
Department of Engineering and Building Contractor License Registration
Wyandotte, Michigan 48192
(734) 324-4551
Engineering1@wyan.org

CONTRACTOR INFORMATION	
Name:	Phone:
Address:	Fax:
E-mail Address:	
Contractor's License #:	Exp. Date:
Federal Employer ID Number or Reason for Exemption:	-
Workers' Comp. Insurance Carrier or Reason for Exemption:	
MESC Employer Number or Reason for Exemption:	
Section 23a of the state construction code act of 197 conspiring to circumvent the licensing requirements or residential building or a residential structure. Violator	2, 1972 PA 230, MCL 125.1523A, prohibits a person from of this state relating to persons who are to perform work on a birs of Section 23a are subject to civil fines.
Date: Auth	norized Signature:
The following individuals are also authorized	to secure permits for the above named company:
Registration Fee: \$45.00 (Registrat	ion expires when license expires.)
Copies of current license, driver's lice	ense and insurance to be attached.
Receipt/Check #	
w/registration form.doc	updated: 05/22/14

CITY OF WYANDOTTE DEPARTMENT OF ENGINEERING AND BUILDING

Specifications for City Sidewalks, Driveways and Approaches

A permit is required for the replacement of city sidewalks, driveways, and driveway approaches. A permit is also required for the lifting or "mud-jacking" of sidewalks or approaches. Permit fees are as follows:

- **City Sidewalk** Minimum fee of \$40.00 for up to 50 lineal feet, then \$1.00 per additional lineal foot.
- **Approaches/Curb Cut** Minimum fee of \$50.00 up to 12 lineal feet, then \$1.00 per additional lineal foot.
- **Driveway** Flat fee of \$50.00.

The applicant must be homeowner or licensed contractor. Unlicensed contractors must submit a bond or insurance policy in the amount of \$1,000.00 minimum and subject to the City Attorney.

All sidewalk and driveway aprons removed or damaged during construction operations shall be replaced with concrete in accordance with these specifications.

Sidewalks shall be constructed on a level, compacted subgrade and shall be a minimum 4 inches thick, increasing at driveways to 6 inches for residential and 8 inches for commercial.

The sidewalk subgrade and surface shall slope 1 inch per 5 feet from property side of walk toward street.

Driveway aprons shall be a minimum 6 inches thick for residential and 8 inches thick for commercial.

Driveways must extend 20 feet past the front of the home, not the porch.

It is recommended that the curb be left at least $1\frac{1}{2}$ inches above gutter grade when cut or replaced to allow for future resurfacing.

Residential curb cuts for driveway approaches are limited to a maximum length of 20 feet, all other subject to approval of the City Engineer.


Asphalt approaches and sidewalks **ARE NOT** permitted, only asphalt over a concrete driveway, or an asphalt driveway is permitted.

Concrete shall be of 3500 PSI minimum compressive strength when cured in moist air at 70° F for 28 days.

All slabs shall be edged by a $\frac{1}{4}$ inch radius edger tool. $\frac{1}{2}$ inch asphalt expansion joints shall be placed not more than 50 feet apart in a continuous length of new sidewalk and between all abutting service walks, drives, approaches, buildings, and curbs.

The Permit Holder shall notify the Department of Engineering and Building for subgrade inspection not less than 24 hours prior to placing concrete. A final inspection is required after all forms have been removed, edges backfilled, and site cleaned up, and upon completion of lifting and filling of any holes used for lifting purposes, with epoxy grout.

Sidewalk shall be lightly textured to create a non-skid finish. Example: Broom finish.



6/18/08